The background image shows the interior of a cathedral, focusing on the intricate stone vaulting of the ceiling. The vaults are supported by large white columns. The ceiling is decorated with gold-colored ribs forming a star-like pattern.

got metadata..?

```
<agent>
  <name type="personal">Eklund, Jan</name>
  <role>Instructor</role>
  <notes>VRA Core XML SEI 2007</notes>
</agent>
```

## **What is the VRA Core?**

The VRA Core is a basic element set to consider when developing a data model for a local image collection

The Core can provide a basic element set to be used for data exchange

The Core has the potential to be both a point of departure and a common destination for image collections who wish to manage their data locally, and export local data for display or for inclusion into a larger resource or repository

# Motivations for Developing Core 4 XML Schema

- To bring the Core in concert with CCO guidelines
  - separate subelements for display and index values
  - accommodate collection-level and item-level cataloging
- The need for a more effective mechanism for data exchange
  - separation of work and image metadata facilitates re-aggregation (shared cataloging)
- XML expression of VRA Core data allows integration of image data with other library materials via METS (Metadata Encoding Transfer Standard)

# What is XML?

- XML (Extensible Markup Language) is a markup language much like HTML
- Unlike HTML which is about ***displaying*** information, XML is about ***describing information's structure and meaning***
- Both XML and HTML use <angle bracketed tags> around pieces of text
- Basic components in an XML ***data*** file are ***elements, sub-elements, attributes*** and ***data values***.
- An XML ***schema*** file contains the rules for what can and cannot reside in an XML data file
- An XSL ***stylesheet*** file contains instructions for formatting XML data for display

## Why XML?

- **With XML, data can be exchanged between incompatible systems.**
- In the real world, computer systems and databases contain data in incompatible formats. One of the most time-consuming challenges for developers has been to exchange data between such systems over the Internet.
- Converting the data to XML can greatly reduce this complexity and create data that can be read by many different types of applications.

# What does XML Look Like?

```
- <vra xsi:schemaLocation="http://www.vraweb.org/vracore4.htm http://gort.ucsd.edu/escowles/vracore4/vra-4.0-restricted.xsd">
  - <work id="w_000777" refid="000597" source="History of Art Visual Resources Collection, UCB">
    - <agentSet>
      - <display>
        Jasper Francis Cropsey (American painter, 1823-1900)
      </display>
      - <agent>
        <name type="personal" vocab="ULAN" refid="500012491 ">Cropsey, Jasper Francis</name>
        - <dates type="life">
          <earliestDate>1823</earliestDate>
          <latestDate>1900</latestDate>
        </dates>
        <culture>American</culture>
        <role vocab="AAT" refid="300025136 ">painter</role>
      </agent>
    </agentSet>
  - <dateSet>
```

# XSL Stylesheet Determines Order of Elements

```
- <xsl:stylesheet version="1.0" extension-element-prefixes="java" exclude-result-prefixes="vra">
- <!--
   $img should contain the base of image references, with thumbnails having
   "t.jpg" appended, and full-res images having ".jpg" appended.
-->
<xsl:param name="img"/>
<xsl:variable name="cssLocation" select="../style.css"/>
<xsl:output method="xml" encoding="iso-8859-1"/>
<!-- ROOT TEMPLATE -->
-<xsl:template match="/">
- <xsl:variable name="title">
- <xsl:choose>
- <xsl:when test="//vra:collection">
- <xsl:for-each select="//vra:collection">
- <xsl:if test="position() != 1">, </xsl:if>
- <xsl:call-template name="title"/>
- </xsl:for-each>
- </xsl:when>
- <xsl:when test="//vra:work">
- <xsl:for-each select="//vra:work">
- <xsl:if test="position() != 1">, </xsl:if>
- <xsl:call-template name="title"/>
- </xsl:for-each>
- </xsl:when>
- <xsl:otherwise>
-   <xsl:value-of select="//vratitleSet/vra:title"/>
- </xsl:otherwise>
- </xsl:choose>
</xsl:variable>
- </xsl:template>
```



# XML + XSL Works with HTML for Web Display

## **Autumn - On the Hudson River**

### **WORK**

[id: w\_000777, refid: 000597, source: History of Art Visual Resources Collection, UCB]

agent = Jasper Francis Cropsey (American painter, 1823-1900)

date = 1860

description = Monumental view of the Hudson River Valley painted from memory in the artist's London studio.

inscription = lower center: Autumn - on the Hudson River / J. F Cropsey / London 1860

location = National Gallery of Art (Washington, DC, USA) 1963.9.1

material = oil paint on canvas

measurements = 151.8 x 274.9 cm (59 3/4 x 108 1/4 in)



**XML**

# What's new in VRA Core 4.0?

- Qualifiers become attributes
- Separate subelements created for display and index values
- Elements and subelements are contained in sets to allow repeatable values
- Record Type becomes a top-level element called <**work**>, <**collection**> or <**image**>
- Three new elements:
  - **Inscription**
  - **State Edition**
  - **Textref**
- Redefined elements:
  - Type becomes **Work Type**
  - Creator becomes **Agent**
  - ID now a sub-element of **Location**
  - **Culture** is now called **Cultural Context**

# Definitions

**Work:** a unique entity such as an object or event. Examples include: a painting, a sculpture, a built work, an object of material culture, a photograph, a manuscript, or a performance.

**Image:** a visual representation of a work either in whole or in part. Examples include: slides, photographic prints, and digital images

**Collection:** an aggregate of items (works or images or both) that are conceptually or physically arranged together for the purpose of cataloging or retrieval. Examples include archival groups that share a common provenance, a series of photographs of the same location, or a hoard of objects made of various materials.

**The same element set may be used to describe a work, an image, or a collection**

# VRA Core 4.0 Elements, Subelements, and Attributes

---

- **agent**
  - attribution
  - culture
  - dates (*type*)
    - earliestDate (*circa*)
    - latestDate (*circa*)
  - name (*type*)
  - role
- **culturalContext**
- **date** (*type*)
  - earliestDate (*circa*)
  - latestDate (*circa*)
- **description**
- **inscription**
  - author
  - position
  - text (*type*)
- **location** (*type*)
  - name (*type*)
  - refid (*type*)
- **material** (*type*)
- **measurements** (*type, unit*)
- **relation** (*type, relids*)
- **rights** (*type*)
  - rightsHolder
  - text
- **source**
  - name (*type*)
  - refid (*type*)
- **stateEdition** (*count, num, type*)
  - description
  - name
- **stylePeriod**
- **subject**
  - term (*type*)
- **technique**
- **textref**
  - name (*type*)
  - refid (*type*)
- **title** (*type*)
- **worktype**

# VRA Core 4.0 Elements, Subelements, and Attributes

---

- **agent**
  - attribution
  - culture
  - dates (*type*)
    - earliestDate (*circa*)
    - latestDate (*circa*)
  - name (*type*)
  - role
- **culturalContext**
- **date** (*type*)
  - earliestDate (*circa*)
  - latestDate (*circa*)
- **description**
- **inscription**
  - author
  - position
  - text (*type*)
- **location** (*type*)
  - name (*type*)
  - refid (*type*)
- **material** (*type*)
- **measurements** (*type, unit*)
- **relation** (*type, relids*)
- **rights** (*type*)
  - rightsHolder
  - text
- **source**
  - name (*type*)
  - refid (*type*)
- **stateEdition** (*count, num, type*)
  - description
  - name
- **stylePeriod**
- **subject**
  - term (*type*)
- **technique**
- **textref**
  - name (*type*)
  - refid (*type*)
- **title** (*type*)
- **worktype**

# VRA Core 4.0 Elements, Subelements, and Attributes

---

- **agent**
  - attribution
  - culture
  - dates (*type*)
    - earliestDate (*circa*)
    - latestDate (*circa*)
  - name (*type*)
  - role
- **culturalContext**
- **date** (*type*)
  - earliestDate (*circa*)
  - latestDate (*circa*)
- **description**
- **inscription**
  - author
  - position
  - text (*type*)
- **location** (*type*)
  - name (*type*)
  - refid (*type*)
- **material** (*type*)
- **measurements** (*type, unit*)
- **relation** (*type, relids*)
- **rights** (*type*)
  - rightsHolder
  - text
- **source**
  - name (*type*)
  - refid (*type*)
- **stateEdition** (*count, num, type*)
  - description
  - name
- **stylePeriod**
- **subject**
  - term (*type*)
- **technique**
- **textref**
  - name (*type*)
  - refid (*type*)
- **title** (*type*)
- **worktype**

# **Global attributes may be applied to any element or subelement**

*dataDate* date a piece of information was captured

*extent* specifies the part of the work, image, or collection the data value describes

*href* hypertext link to another electronic resource

*pref* indicates a preferred value among multiple data values

*refid* unique identifier for the data value

*rules* content rules followed when constructing a data value (ex. AACR2, CCO)

*source* source of the data value

*vocab* controlled vocabulary from which the data value was derived (ex. AAT, TGN, ULAN)

*xml:lang* language of the data value

# Work, Collection, or Image

VRA Core Element	XML element	XML attribute	Data Example
WORK	work	<i>id</i>	w_987654321
		<i>refid</i>	000347
		<i>source</i>	History of Art Visual Resources Collection, UCB
COLLECTION	collection	<i>id</i>	c_876543210
		<i>refid</i>	BANC MSS 67/125 z
		<i>source</i>	Bancroft Library, UCB
IMAGE	image	<i>id</i>	i_765432109
		<i>refid</i>	388438
		<i>source</i>	History of Art Visual Resources Collection, UCB

XML expression for a work record (Arch of Constantine)

```
<work id="w_987654321" refid="000347" source="History of Art Visual Resources Collection, UCB">... </work>
```


XML expression for a collection record (Joel Asaph Allan Papers, 1883-1884)

```
<collection id="c_876543210" refid="BANC MSS 67/125 z" source="Bancroft Library, UCB">... </collection>
```

XML expression for an image record (of the Arch of Constantine)

```
<image id="i_765432109" refid="388438" source="History of Art Visual Resources Collection, UCB">... </image>
```

# Agent: Work Record



agent				
	culture			Italian
	dates			
		type		<i>life</i>
			earliestDate	1452
			latestDate	1519
	name			Leonardo da Vinci
		type		<i>personal</i>
	role			painter

```
<agentSet>
<display>Leonardo da Vinci (1452-1519), Italian painter</display>
<agent>
<culture>Italian</culture>
<dates type="life">
  <earliestDate>1452</earliestDate>
  <latestDate>1519</latestDate>
</dates>
<name type="personal">Leonardo da Vinci</name>
<role>painter</role>
</agent>
</agentSet>
```

# Agent: Image Record



agent				
	culture			American
	dates			
		type		<i>life</i>
			earliestDate	1954
			latestDate	
	name			Wolf, Julie
		type		<i>personal</i>
	role			photographer

```
<agentSet>
<display>Julie Wolf (b. 1954) American photographer</display>
<agent>
  <culture>American</culture>
  <dates type="life">
    <earliestDate>1954</earliestDate>
    <latestDate/>
  </dates>
  <name type="personal">Wolf, Julie</name>
  <role>photographer</role>
</agent>
</agentSet>
```

# Agent: Unknown Creator



agent			Unknown Roman architect
	culture		Roman (ancient)
	name		Unknown
		type	other
	role		architect

```
<agentSet>
  <display>Unknown Roman architect</display>
  <agent>
    <culture pref="true">Roman (ancient)</culture>
    <culture>Italian</culture>
    <name type="other">Unknown</name>
    <role>architect</role>
  </agent>
</agentSet>
```

# Cultural Context



culturalContext		English
	vocab	<i>ULAN Editorial Guidelines Chapter 4.7, Appendix G</i>
	refid	901310

```
<culturalContextSet>
<culture vocab="ULAN Editorial Guidelines Chapter 4.7,
Appendix G" refid="901310">English</culture>
</culturalContextSet>
```

# Foreign Artist in Cultural Context



agent				
	culture			Italian
	dates			
		type		<i>life</i>
			earliestDate	1472
			latestDate	1528
	name			Torrigiano, Pietro
		type		<i>personal</i>
	role			sculptor

culturalContext		English
	vocab	<i>ULAN Editorial Guidelines Chapter 4.7, Appendix G</i>
	refid	901310

```
<agentSet>
<display>Attributed to Pietro Torrigiano (1472-1528), Italian sculptor</display>
<agent>
<culture>Italian</culture>
<dates type="life">
  <earliestDate>1472</earliestDate>
  <latestDate>1528</latestDate>
</dates>
<name type="personal">Torrigiano, Pietro</name>
<role>sculptor</role>
</agent>
</agentSet>
```

```
<culturalContextSet>
  <culturalContext vocab="ULAN Editorial Guidelines Chapter 4.7,
    Appendix G" refid="901310">English</culturalContext>
</culturalContextSet>
```


# Date Ranges



<b>date</b>				<b>created c. 250-260</b>
	<i>type</i>			<i>creation</i>
		<b>earliestDate</b>		<b>250</b>
			<i>circa</i>	<i>true</i>
		<b>latestDate</b>		<b>260</b>
			<i>circa</i>	<i>true</i>

```
<dateSet>
  <display>created c. 250-260</display>
  <date type="creation">
    <earliestDate circa="true">250</earliestDate>
    <latestDate circa="true">260</latestDate>
  </date>
</dateSet>
```

# Multiple Dates



date			
	type		<i>creation</i>
		<b>earliestDate</b>	1902
		<b>latestDate</b>	1911
date			
	type		<i>destruction</i>
		<b>earliestDate</b>	1965
		<b>latestDate</b>	1965

```
<dateSet>
  <display>1902-1911 (demolished 1965)</display>
  <date type="creation">
    <earliestDate>1902</earliestDate>
    <latestDate>1911</latestDate>
  </date>
  <date type="destruction">
    <earliestDate>1965</earliestDate>
    <latestDate>1965</latestDate>
  </date>
</dateSet>
```

# Description



## **description**

Large pedimented sarcophagus probably made for the last king of Sidon, Abdalonymos (d. 312 BCE). Relief on long side A shows the Battle of Issos. Long side B shows Alexander and Abdalonymos hunting.


<descriptionSet>

<description>Large pedimented sarcophagus probably made for the last king of Sidon, Abdalonymos (d. 312 BCE). Relief on long side A shows the Battle of Issos. Long side B shows Alexander and Abdalonymos hunting.

</description>

</descriptionSet>

# Inscription



Inscription			
	<b>author</b>		<b>Goya, Francisco</b>
	<b>position</b>		<b>Lower left corner, on side of table</b>
	<b>text</b>		<b>El Sueño de la Razon Produce Monstruos</b>
		<i>type</i>	<i>text</i>
		<i>lang</i>	es
	<b>text</b>		<b>The Sleep of Reason Produces Monsters</b>
		<i>type</i>	<i>translation</i>
		<i>lang</i>	en


```
<inscriptionSet>
<display>El Sueño de la Razon Produce Monstruos (The Sleep of Reason Produces Monsters) </display>
<inscription>
  <author vocab="ULAN" refid="500118936">Goya, Francisco</author>
  <position>lower left corner, on side of table</position>
  <text type="text" xml:lang="es">El Sueño de la Razon Produce Monstruos</text>
  <text type="translation" xml:lang="en">The Sleep of Reason Produces Monsters</text>
</inscription>
</inscriptionSet>
```

# Location – Work Record



<b>display</b>				<b>Musée du Louvre (Paris, FR) MR 299; discovered Milos (GR)</b>
<b>location</b>				<b>Musée du Louvre (Paris, FR) MR 299</b>
	<i>type</i>			<i>repository</i>
		<b>name</b>		<b>Musée du Louvre</b>
			<i>type</i>	<i>corporate</i>
			<i>Xml:lang</i>	<i>fr</i>
		<b>refid</b>		<b>MR 299</b>
			<i>type</i>	<i>accession</i>
			<b>name</b>	<b>Paris</b>
			<i>type</i>	<i>geographic</i>
			<i>vocab</i>	<i>TGN</i>
			<i>refid</i>	<i>7008038</i>
<b>location</b>				
	<i>type</i>			<i>discovery</i>
		<b>name</b>		<b>Milos</b>
			<i>type</i>	<i>geographic</i>
			<i>vocab</i>	<i>TGN</i>
			<i>refid</i>	<i>7010922</i>
		<b>name</b>		<b>Greece</b>
			<i>type</i>	<i>geographic</i>
			<i>vocab</i>	<i>TGN</i>
			<i>refid</i>	<i>1000074</i>

# Location



```
<locationSet>
  <display> Musée du Louvre (Paris, FR) MR 299; discovered Milos (GR)</display>
  <location type="repository">
    <name type="corporate">Musée du Louvre</name>
    <refid> MR 299</refid>
  </location>
  <location type="site">
    <name type="geographic" vocab="TGN" refid="7008038">Paris</name>
    <name type="geographic" vocab="TGN" refid="1000070">France</name>
  </location>
  <location type="discovery">
    <name type="geographic" vocab="TGN" refid="7010922">Milos</name>
    <name type="geographic" vocab="TGN" refid="1000074">Greece</name>
  </location>
</locationSet>
```


# Material



<b>material</b>		<b>coconut</b>
	<i>type</i>	<i>medium</i>
<b>material</b>		<b>silver</b>
	<i>type</i>	<i>medium</i>

```
<materialSet>
<display>coconut shell with silver
ornamentation</display>
<material type="medium">coconut</material>
<material type="medium">silver</material>
</materialSet>
```

# Measurements



<b>measurements</b>		<b>139.7</b>
	<i>type</i>	<i>height</i>
	<i>unit</i>	<b>cm</b>
	<i>extent</i>	<i>base</i>
<b>measurements</b>		<b>76.2</b>
	<i>type</i>	<i>width</i>
	<i>unit</i>	<b>cm</b>
	<i>extent</i>	<i>base</i>
<b>measurements</b>		<b>76.2</b>
	<i>type</i>	<i>depth</i>
	<i>unit</i>	<b>cm</b>
	<i>extent</i>	<i>base</i>
<b>measurements</b>		<b>76.2</b>
	<i>type</i>	<i>diameter</i>
	<i>unit</i>	<b>cm</b>
	<i>extent</i>	<i>globe</i>


```
<measurementsSet>
<display>base 139.7 (H) x 76.2 (W) x 76.2 (D); globe 76.2 (Diameter)</display>
<measurements type="height" unit="cm" extent="base">139.7</measurements>
<measurements type="width" unit="cm" extent="base">76.2</measurements>
<measurements type="depth" unit="cm" extent="base">76.2</measurements>
<measurements type="diameter" unit="cm" extent="globe">76.2</measurements>
</measurementsSet>
```

# Relationship Types: Restricted Schema Type Values

Relationship Type	Reciprocal Relationship Type
<b>&lt;general - default&gt;</b>	
relatedTo	relatedTo
<b>&lt;hierarchical - group/collection/series to parts&gt;</b>	
partOf	largerContextFor
formerlyPartOf	formerlyLargerContextFor
<b>&lt;a work and its components&gt;</b>	
componentOf	components
partnerInSetWith	partnerInSetWith
<b>&lt;works that are related as steps in the creation process&gt;</b>	
preparatoryFor	basedOn
studyFor	studyls
cartoonFor	cartoonls
modelFor	modells
planFor	planls
counterProofFor	counterProofls
printingPlateFor	printingPlatels
reliefFor	impressions
prototypeFor	prototypels

Relationship Type	Reciprocal Relationship Type
<b>&lt;works designed to be displayed together&gt;</b>	
designedFor	contextls
mateOf	mateOf
partnerInSetWith	partnerInSetWith
pendantOf	pendantOf
exhibitedAt	venueFor
<b>&lt;works copied after or depicting other works&gt;</b>	
copyAfter	copyls
depicts	depictedIn
derivedFrom	sourceFor
facsimileOf	facsimilels
replicaOf	replicals
versionOf	versionls
<b>&lt;work to image relationships&gt;</b>	
imageOf	imagels

# Relation – Works and Component Works




## Relation in the component work record

**Telephos frieze** (component work)

XML work id = w\_223009

relation		
	type	componentOf
	relids	w_900322



## Reciprocal relation in the work record

**Altar of Zeus** (work)

XML work id=w\_900322

relation		
	type	largerContextFor
	relids	w_223009

## XML in the work record for the Telephos frieze (component work) record


```
<relationSet>
  <relation type="componentOf" relids="w_900322"></relation>
</relationSet>
```

## XML in the work record for the Altar of Zeus (work) record

```
<relationSet>
  <relation type="largerContextFor" relids="w_223009"></relation>
</relationSet>
```

# Relation – Works and Collections

**Small diadem with pendants** (work)  
Local work id = 18706  
XML work record id = w\_123456




**Priam's Treasure** (Related collection)  
Local work id = 18697  
XML collection record id = c\_987654

XML in the work record for the Small diadem with pendants

```
<relationSet>
  <display>From Treasure A, Schliemann find</display>
  <notes>From Treasure A, Schliemann find</notes>
  <relation type="partOf" relids="c_987654" source="History of Art Visual Resources Collection, UCB"
    refid="18697">Priam's Treasure</relation>
</relationSet>
```

**Relation in the work record**

relation		
	type	partOf
	relids	c_987654



**Reciprocal relation in the collection record**

relation		
	type	largerContextFor
	relids	w_123456

# Relation – Images, Works, and Collections

**Detail of Pendant ends (image)**  
Local image id = 534928  
XML image id = i\_456789



**Small diadem with pendants (work)**  
Local work id = 18706  
XML work record id = w\_123456



**Priam's Treasure (Related collection)**  
Local work id = 18697  
XML collection record id = c\_987654



Relation in the image record

relation		
	type	imageOf
	relids	w_123456

↓ Relation in the work record ↑

relation		
	type	part of
	relids	c_987654
	type	imagels
		i_456789


↓ Relation in the collection record ↑

relation		
	type	largerContextFor
	relids	w_123456

XML in the work record for the Small diadem with pendants

```
<relationSet>
  <display>From Priam's Treasure (Treasure A, Schliemann find)</display>
  <notes>From Priam's Treasure (Treasure A, Schliemann find)</notes>
  <relation type="partOf" relids="c_987654" source="History of Art Visual Resources Collection, UCB"
    refid="18697">Priam's Treasure</relation>
  <relation type="imagels" relids="i_456789" source="History of Art Visual Resources Collection,
    UCB" refid="534928">Detail showing pendant ends of long side chains</relation>
</relationSet>
```

# Relation: Images and Collections



**Priam's Treasure** (Related collection)

Local work id = 18697

XML collection record id = c\_987654

Relation in the image record

relation		
	type	<i>imageOf</i>
	relids	c_987654



Relation in the collection record

relation		
	type	<i>largerContextFor</i>
	relids	i_534950, i_534951

XML in the image record of each related image

```
<relationSet>
  <display>From Priam's Treasure (Treasure A, Schliemann find)</display>
  <notes>From Priam's Treasure (Treasure A, Schliemann find)</notes>
  <relation type="partOf" relids="c_987654" source="History of Art Visual Resources Collection,
    UCB">Priam's Treasure</relation>
</relationSet>
```

# Rights




rights			
	type		<i>copyrighted</i>
		rightsHolder	<b>History of Art Visual Resources Collection, U.C. Berkeley</b>
		text	© History of Art Visual Resources Collection, U.C. Berkeley. May be used for academic publication without restrictions.

XML in an image record

```
<rightsSet>
  <display>© History of Art Visual Resources Collection, U.C. Berkeley. May be used for
  academic publication without restrictions.</display>
  <rights type="copyrighted">
    <rightsHolder>History of Art Visual Resources Collection, U.C. Berkeley<rightsHolder>
    <text>© History of Art Visual Resources Collection, U.C. Berkeley. May be used for academic
    publication without restrictions.</text>
  </rights>
</rightsSet>
```

# Source – Copystand Image Record




source			
	<b>name</b>		<b>Doumas, Christos, The Wall Paintings of Thera, Athens: Kapon Editions, 1992, p. 147, fig. 111</b>
		<i>type</i>	<i>book</i>
	<b>refid</b>		<b>9602202742</b>
		<i>type</i>	<i>ISBN</i>

XML in an image record

```
<sourceSet>
  <display>Doumas, Christos, The Wall Paintings of Thera, Athens: Kapon Editions, 1992, p. 147, fig.
  111</display>
  <source>
    <name type="book">Doumas, Christos, The Wall Paintings of Thera, Athens: Kapon Editions, 1992,
      p. 147, fig. 111</name>
    <refid type="ISBN">9602202742</refid>
  </source>
</sourceSet>
```

# Source – Work Record




<b>source</b>			<b>Grove Art Online (accessed 2/28/2006)</b>
		<i>dataDate</i>	<b>2006-02-28</b>
	<b>name</b>		<b>Grove Art Online</b>
		<i>type</i>	<i>electronic</i>
	<b>refid</b>		<b><a href="http://www.groveart.com/shared/views/article.html?section=art.084489.1">http://www.groveart.com/shared/views/article.html?section=art.084489.1</a></b>
		<i>type</i>	<i>URI</i>

## XML in a work record

```
<sourceSet>
  <display>Grove Art Online (accessed 2/28/2006)</display>
  <source dataDate="2006-02-28">
    <name type="electronic">Grove Art Online</name>
    <refid type="URI">http://www.groveart.com/shared/views/article.html?section=art.084489.1</refid>
  </source>
</sourceSet>
```

# State Edition - State




<b>display</b>			<b>1st state of 5. Both figures in outline only, except Adam's right leg</b>
<b>stateEdition</b>			
	<i>type</i>		<i>state</i>
	<i>num</i>		1
	<i>count</i>		5
		<b>name</b>	<b>1<sup>st</sup> state</b>
		<b>description</b>	<b>Both figures in outline only, except Adam's right leg</b>

XML expression for a work record for the 1st state of a single print

```
<stateEditionSet>
  <display>1st state of 5. Both figures in outline only, except Adam's right leg</display>
  <stateEdition type="state" num="1" count="5" source=" Hollstein, F.W.H., German Engravings Etchings and
    Woodcuts ca. 1400-1700, Vol. VII, p. 5">
    <name>1st state</name>
    <description> Both figures in outline only, except Adam's right leg</description>
  </stateEdition>
</stateEditionSet>
```

# State Edition – Page from a Specific Edition




display			<b>Edition of 1511. Title page (1/20) with Latin text by Chelidonius</b>
<b>stateEdition</b>			
		<i>type</i>	edition
		<i>source</i>	Hollstein, F.W.H., German Engravings Etchings and Woodcuts ca. 1400-1700, Vol. VII, p. 152
	<i>name</i>		<b>Edition of 1511</b>
	<i>description</i>		with Latin text by Chelidonius
<b>stateEdition</b>			
		<i>type</i>	impression
		<i>num</i>	1
		<i>count</i>	20
	<i>name</i>		<b>Title page</b>

XML expression for a work record for the title page from an edition of prints

```
<stateEditionSet>
<display>Edition of 1511. Title page (1/20) with Latin text by Chelidonius</display>
<stateEdition type="edition" source="Hollstein, F.W.H., German Engravings Etchings and Woodcuts ca. 1400-1700, Vol. VII, p. 152">
  <name>Edition of 1511</name>
  <description> with Latin text by Chelidonius</description></stateEdition>
<stateEdition type="impression" num="1" count="20" source=" Hollstein, F.W.H., German Engravings Etchings and Woodcuts ca. 1400-1700,
  Vol. VII, p. 152">
  <name>Title page</name></stateEdition>
</stateEditionSet>
```

# Style Period



<b>stylePeriod</b>		<b>French</b>
	<i>vocab</i>	<i>AAT</i>
	<i>refid</i>	<i>300111188</i>
<b>stylePeriod</b>		<b>Gothic</b>
	<i>vocab</i>	<i>AAT</i>
	<i>refid</i>	<i>300020775</i>

XML expression for a work record

```
<stylePeriodSet>
  <display>French Gothic</display>
  <stylePeriod vocab="AAT" refid="300111188">French</stylePeriod>
  <stylePeriod vocab="AAT" refid="300020775">Gothic</stylePeriod>
</stylePeriodSet>
```

# Subject - Topics




XML expression for a work record

```
<subjectSet>
  <display>nudes; Apples in art; Temptation and Fall (Genesis 3:1-7)</display>
  <subject type="descriptiveTopic" vocab="AAT" refid="300189568">nudes</subject>
  <subject type="descriptiveTopic" vocab="LCSH" refid="sh 96012271">Apples in art</subject>
  <subject type="iconographicTopic" vocab="Iconclass" refid="71A4">Temptation and Fall (Genesis 3:1-7) </subject>
</subjectSet>
```

subject			
term			<b>nudes</b>
	type		descriptiveTopic
	vocab		AAT
	refid		300189568
term			<b>Apples in art</b>
	type		descriptiveTopic
	vocab		LCSH
	refid		sh 96012271
term			<b>Temptation and Fall (Genesis 3:1-7)</b>
	type		iconographicTopic
	vocab		Iconclass
	refid		71A4

# Subject - Names




subject			
	term		<b>Chaplin, Charlie, 1889-1977</b>
		type	<i>personalName</i>
		vocab	<i>LCNAF</i>
		refid	<i>n 79126907</i>
	term		<b>gears</b>
		type	<i>descriptiveTopic</i>
		vocab	<i>AAT</i>
		refid	<i>300125467</i>

XML expression for an image record

```
<subjectSet>
  <display>Charlie Chaplin; gears</display>
  <subject type="personalName" vocab="LCNAF" refid="n 79126907">Chaplin, Charlie, 1889-1977</subject>
  <subject type="descriptiveTopic" vocab="AAT" refid="300125467 ">gears</subject>
</subjectSet>
```

# Subject – Geographic Place Names



XML expression for an image record

```
<subjectSet>
  <display>Fuchun mountains (China); Zhejiang (province); mountains</display>
  <subject type="geographicPlace" vocab="LCSH" refid="sh 87003851 ">Fuchun mountains (China)</subject>
  <subject type="geographicPlace" vocab="TGN" refid="7002076">Zhejiang</subject>
  <subject type="descriptiveTopic" vocab="AAT" refid="300008795 ">mountains</subject>
</subjectSet>
```

subject			
	term		Fuchun mountains (China)
		type	geographicPlace
		vocab	LCSH
		refid	sh 87003851
	term		Zhejiang
		type	geographicPlace
		vocab	TGN
		refid	7002076
	term		mountains
		type	descriptiveTopic
		vocab	AAT
		refid	300008795

# Technique




<b>technique</b>		<b>illumination</b>
	<i>vocab</i>	AAT
	<i>refid</i>	300220539
<b>technique</b>		<b>painting</b>
	<i>vocab</i>	AAT
	<i>refid</i>	300054216

XML expression for a work record

```
<techniqueSet>
  <display>illumination; painting</display>
  <technique vocab="AAT" refid="300220539">illumination</stylePeriod>
  <technique vocab="AAT" refid="300054216 ">painting</stylePeriod>
</techniqueSet>
```

# Textref



<b>display</b>			<b>ARV2 922 (77)</b>
<b>textref</b>			
	<b>name</b>		Beazley, J.D., Attic Red-Figure Vase Painters (2 <sup>nd</sup> Edition), New York: Hacker Art Books, 1984
		<i>type</i>	corpus
	<b>refid</b>		<b>p. 922, no. 77</b>
		<i>type</i>	citation
		<b>source</b>	Denoyelle, Martine, Chefs-d'Oeuvre de la Ceramique Grecque dans les Collections du Louvre, Paris: Reunion des Musées Nationaux, 1994

XML expression for a work record

```
<textrefSet>
  <display>ARV 922 (77)</display>
  <textref>
    <name type="corpus">Beazley, J.D., Attic Red-Figure Vase Painters (2nd Edition), New York: Hacker Art Books, 1984</name>
    <refid type="citation" source="Denoyelle, Martine, Chefs-d'Oeuvre de la Ceramique Grecque dans les Collections du Louvre, Paris: Reunion des Musées Nationaux, 1994">p. 922, no. 77</refid>
  </textref>
</textrefSet>
```

# Title




<b>title</b>		<b>Arnolfini Marriage</b>
	<i>type</i>	cited
	<i>pref</i>	true
	<i>source</i>	Grove Dictionary of Art Online
<b>title</b>		<b>Portrait of Giovanni (?) Arnolfini and his Wife ("The Arnolfini Portrait")</b>
	<i>type</i>	repository
	<i>pref</i>	false
	<i>source</i>	National Gallery of Art (London, GB)

XML expression for a work record

```
<titleSet>
  <display>Arnolfini Marriage</display>
  <title type="cited" pref="true" source="Grove Dictionary of Art Online">Arnolfini Marriage</title>
  <title type="repository" pref="false" source="National Gallery of Art (London, GB)">Portrait of Giovanni (?)
    Arnolfini and his Wife ("The Arnolfini Portrait")</title>
</titleSet>
```

# Work Type



XML expression for a work record

```
<worktypeSet>
  <display>Colored pencil drawing</display>
  <worktype vocab="AAT" refid="300033973">drawing</worktype>
  <worktype vocab="LCSH" refid="sh 87007531">Colored pencil drawing</worktype>
</worktypeSet>
```

XML expression for an image record

```
<worktypeSet>
  <worktype vocab="AAT" refid="300215302">digital image</worktype>
</worktypeSet>
```

worktype		drawing
	<i>vocab</i>	AAT
	<i>refid</i>	300033973
worktype		<b>Colored pencil drawing</b>
	<i>vocab</i>	LCSH
	<i>refid</i>	sh 87007531

worktype		digital image
	<i>vocab</i>	AAT
	<i>refid</i>	300215302

# Herding Cats: VRA Core + CCO + XML = Sharable Metadata

